

Package: html2R (via r-universe)

August 23, 2024

Type Package

Title Convert 'HTML' to 'R' with a 'Shiny' App

Version 0.1.0

Description Provides a 'Shiny' app allowing to convert 'HTML' code to 'R' code (e.g. 'Hello' to 'tags\$span(` `Hello)'), for usage in a 'Shiny' UI.

URL <https://github.com/stla/html2R>

BugReports <https://github.com/stla/html2R/issues>

License GPL-3

Encoding UTF-8

LazyData true

Imports glue, shiny, shinyAce, shinythemes, shinyjqui, stats

RoxygenNote 7.1.1

Repository <https://stla.r-universe.dev>

RemoteUrl <https://github.com/stla/html2r>

RemoteRef HEAD

RemoteSha 2b80aba690f1742f871f51c890da89e6b2740117

Contents

| | |
|--------------|----------|
| html2R | 2 |
| Index | 3 |

`html2R`*Launch the 'html2R' Shiny app*

Description

Shiny app allowing to convert HTML code to R code.

Usage

```
html2R(file, theme = "cobalt", fontSize = 16)
```

Arguments

`file` path to a HTML file; can be missing
`theme, fontSize` options passed to [aceEditor](#)

Examples

```
# launch the Shiny app without file ####  
if(interactive()) html2R()  
  
# launch the Shiny app with a file ####  
if(interactive()){  
  html2R(system.file("example.html", package = "html2R"))  
}
```

Index

`aceEditor`, [2](#)

`html2R`, [2](#)